



# CorePro LEDcapsule MV

## CorePro LEDcapsuleMV 4-40W G9 827 D

The LED specialties deliver a high quality light to make themselves to be a true replacement of halogen specialty lamp (such as G9 and R7S). It is particularly suit for task lighting in hotel and restaurants, and ideal for decorative and ambient application. LEDspecialty products deliver huge energy saving and minimize maintenance costs, without any compromise on light quality.

### Product data

General Information	
Cap-Base	G9 [ G9]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	50000X
Technical Type	4-40W
Light Technical	
Color Code	827 [ CCT of 2700K]
Beam Angle (Nom)	300 °
Luminous Flux (Nom)	480 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	120.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz

Power (Nom)	4 W
Lamp Current (Nom)	24 mA
Wattage Equivalent	40 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	86 °C
Controls and Dimming	
Dimmable	Yes
Approval and Application	
Energy Efficiency Label (EEL)	A++
Suitable For Accent Lighting	No
Energy Consumption kWh/1000 h	4 kWh


# CorePro LEDcapsule MV

## Product Data

Full product code	871869976673300
Order product name	CorePro LEDcapsuleMV 4-40W G9 827 D
EAN/UPC - Product	8718699766733
Order code	929002390002
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	12
Material Nr. (12NC)	929002390002
Net Weight (Piece)	0.012 kg



## Dimensional drawing



Capsule G9 40W 400lm 2700K G9 Dim 15khrs

Product	D	C
CorePro LEDcapsuleMV 4-40W G9 827 D	18 mm	59 mm


## Photometric data



General Uniform Lighting

LEDcapsule MV 4W G9 827


LEDcapsule MV 4W G9 827



LEDcapsule MV 2,6W G9

# CorePro LEDcapsule MV

## Lifetime



15K LED

15K LMP

